



TruLaser Tube 7000

Technical data





TruLaser Tube 7000

Laser tube cutting machines

Technical data

	TruLaser Tube 7000 – 21 ft.	TruLaser Tube 7000 – 30 ft.
ROUND TUBE		
OUTER CIRCLE DIAMETER (NOMINAL DIMENSION)	204 mm	204 mm
OUTER CIRCLE DIAMETER, OPTIONAL (NOMINAL DIMENSION)	254 mm	254 mm
RECTANGULAR PROFILE		
MAX. EDGE LENGTH AND OUTER CIRCLE DIAMETER IN STANDARD	204 mm / 204 mm	204 mm / 204 mm
TUBE PROFILES		
MAX. UNPROCESSED MATERIAL WEIGHT, AUTOMATIC LOADING (STANDARD/OPTIONAL)	150 kg / 225 kg	150 kg / 225 kg
MAX. PATH WEIGHT (STANDARD/OPTIONAL)	25 kg/m / 37.5 kg/m	25 kg/m / 37.5 kg/m
NOMINAL DIMENSION, FINISHED PART LENGTH		
FOR UNLOADING UNIT 3 M	3000 mm	3000 mm
FOR UNLOADING UNIT 3 M + 1.5 M	4500 mm	4500 mm
FOR UNLOADING UNIT 4.5 M	4500 mm	4500 mm
FOR UNLOADING UNIT 4.5 M + 1.5 M	6000 mm	6000 mm
FOR UNLOADING UNIT 6.5 M	6500 mm	6500 mm
FOR UNLOADING UNIT 6.5 M + 1.5 M	-	8000 mm
TRUFLOW 2000		
MAX. LASER OUTPUT	2000 W	2000 W
MAX. SHEET THICKNESS, MILD STEEL	8 mm	8 mm

Subject to changes. The details in our offer and order confirmation are definitive.



TruLaser Tube 7000

Laser tube cutting machines

Technical data

	TruLaser Tube 7000 – 21 ft.	TruLaser Tube 7000 – 30 ft.
MAX. SHEET THICKNESS, STAINLESS STEEL	4 mm	4 mm
MAX. SHEET THICKNESS, ALUMINUM	3 mm	3 mm
TRUFLOW 2700		
MAX. LASER OUTPUT	2700 W	2700 W
MAX. SHEET THICKNESS, MILD STEEL	10 mm	10 mm
MAX. SHEET THICKNESS, STAINLESS STEEL	5 mm	5 mm
MAX. SHEET THICKNESS, ALUMINUM	4 mm	4 mm
TRUFLOW 3600		
MAX. LASER OUTPUT	3600 W	3600 W
MAX. SHEET THICKNESS, MILD STEEL	10 mm	10 mm
MAX. SHEET THICKNESS, STAINLESS STEEL	6 mm	6 mm
MAX. SHEET THICKNESS, ALUMINUM	5 mm	5 mm

Subject to changes. The details in our offer and order confirmation are definitive.